

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|---|---|---------------------|
| 1 | 3444 | 711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 13:44 |
| 2 | 1949 | 365/185.33.ccls. or 365/94.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 13:47 |
| 3 | 148 | 712/37.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 13:47 |
| 4 | 833 | 717/168.ccls. or 717/173-174.ccls. or 717/178.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:17 |
| 5 | 21 | shimizu-tomoyasu\$.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:18 |
| 7 | 136 | (flash or eeprom or eprom or prom) with address with variable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:22 |
| 8 | 21 | (flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:20 |
| 9 | 0 | (shimizu-tomoyasu\$.in. and (@ad<=19990819 or @rlad<=19990819)) and ((flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:23 |
| 10 | 0 | (shimizu-tomoyasu\$.in. and (@ad<=19990819 or @rlad<=19990819)) and ((flash or eeprom or eprom or prom) with address with variable) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:23 |
| 6 | 17 | shimizu-tomoyasu\$.in. and (@ad<=19990819 or @rlad<=19990819) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:31 |
| 11 | 8461 | (flash or eeprom or eprom or prom) with (extension or extend\$3 or expand\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:58 |
| 12 | 42 | (flash or eeprom or eprom or prom) with (extension or extend\$3 or expand\$3) with (program or routine or subprogram or subroutine) with address | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:31 |
| 13 | 0 | ((flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine)) and ((flash or eeprom or eprom or prom) with (extension or extend\$3 or expand\$3) with (program or routine or subprogram or subroutine) with address) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:31 |

| | | | | |
|----|-------|---|---|---------------------|
| 14 | 15 | ((flash or eeprom or eprom or prom) with address with variable with (program or subprogram or subroutine or routine)) and (@ad<=19990819 or @rlad<=19990819) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 15:36 |
| 15 | 20217 | (flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 14:59 |
| 16 | 27092 | (flash or eeprom or eprom or prom) with (updat\$3 or modif\$4 or chang\$3 or upgrad\$3 or extension or extend\$3 or expand\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 15:01 |
| 17 | 65 | (flash or eeprom or eprom or prom) with address with (variable or parameter or attribut\$4) with (program or subprogram or subroutine or routine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 16:35 |
| 18 | 47 | ((flash or eeprom or eprom or prom) with address with (variable or parameter or attribut\$4) with (program or subprogram or subroutine or routine)) and (@ad<=19990819 or @rlad<=19990819) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 16:35 |
| 19 | 6191 | (711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 16:34 |
| 20 | 438 | (flash or eeprom or eprom or prom) with address with (variable or parameter or attribut\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 16:35 |
| 21 | 310 | ((flash or eeprom or eprom or prom) with address with (variable or parameter or attribut\$4)) and (@ad<=19990819 or @rlad<=19990819) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:19 |
| 22 | 36 | ((flash or eeprom or eprom or prom) with address with (variable or parameter or attribut\$4)) and (@ad<=19990819 or @rlad<=19990819)) and ((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:16 |
| 23 | 32342 | (variable or parameter) with address | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:18 |
| 24 | 594 | ((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) and ((variable or parameter) with address) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:17 |
| 25 | 431 | ((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) and ((variable or parameter) with address) and (@ad<=19990819 or @rlad<=19990819) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:18 |

| | | | | |
|----|------|--|---|---------------------|
| 26 | 3351 | (variable or parameter) with address with table | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:18 |
| 27 | 431 | (((((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) and ((variable or parameter) with address)) and (@ad<=19990819 or @rlad<=19990819)) and (@ad<=19990819 or @rlad<=19990819)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:19 |
| 28 | 61 | (flash or eeprom or eprom or prom) same (address with variable with (program or subprogram or subroutine or routine)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:21 |
| 29 | 3 | (((((711/1-2.ccls. or 711/101-103.ccls. or 711/202.ccls. or 711/213.ccls. or 711/221.ccls.) or (365/185.33.ccls. or 365/94.ccls.) or 712/37.ccls. or (717/168.ccls. or 717/173-174.ccls. or 717/178.ccls.)) and ((variable or parameter) with address)) and (@ad<=19990819 or @rlad<=19990819)) and (@ad<=19990819 or @rlad<=19990819)) and ((flash or eeprom or eprom or prom) same (address with variable with (program or subprogram or subroutine or routine))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/02 17:21 |